

MODEL BW1 BOBBIN WINDING MACHINE

BW1 平绕机

The BW1 is an up-to-date microprocessor controlled bench model of high quality and considerable value. It is designed for high-frequency switching power coils, multifunctional controller and stable winding pitch system. It use a special inverter motor and driver as its main winding power, and a precise stepping motor to adjust wire pitch in order to meet the extra requirement of customer's high-quality control. The BW1 has not only VU's graceful appearance and fine configuration, but also simple operation and speedy maintenance etc multifunction. And it has proven to be the optimal choice in VU's BOBBIN winding machines for fine wire applications with one spindle.




BW1 型绕线机是由本公司研发生产的新型机种,专门针对品质价位同样需求的客户所设计。BW1 是高频线圈的专用的绕线机,具有多功能的控制器与稳定的排线系统。本机采用特殊的变频马达和驱动器来作为主机的动力,同时用精密的步进马达来调整线距以达到客户最高的绕线品质要求。本机具备了 VU 优美的外观与精密的结构,同时更兼有简单操作与快速维修等多样化的功能,为 BOBBIN 绕线机的最佳选择。

MACHINE FEATURES 机器特点

- CONTROLLER 控制器
Microprocessor Logic control
微处理逻辑控制
- DISPLAY 显示
LED Display 发光二极管显示
- MEMORY CAPACITY 存储能力
999 Programs 999 组
- PROGRAMMING 程序设置
Manual Set-Up 手动设置
- WINDING DRIVE 绕线速度
Up to 3000 RPM 每分钟最高 3000 转
- WINDING DRIVE 绕线动力
POWER AC INVERTER MOTOR
交流变频马达
- WIRE PITCH CONTROL 线距控制
STEPPING MOTOR 步进马达
- ACCELERATION 加速
PROGRAM AUTOMTIC 自动程序设定
- DECELERATION 减速
PROGRAM AUTOMTIC 自动程序设定
- MAIN WINDING DRIVE POWER
主绕线驱动动力
AC 0.5HP INVERTER MOTOR
0.5 马力的交流变频马达
- SUPPLY VOLTAGES 电源提供
230 VOLT, 50-60HZ AC
- MACHINE SIZE AND WEIGHT
机器尺寸和重量
L700mm×W750mm×H550mm 42KG



TECHNICAL DATA (技术数据)	MM	INCH/AWG
Wire size (线径)	0.05-1.0mm	#18-44AWG
Spindle (轴)	1	1
Traverse width (回程距离)	0-100 mm	0-3.94inch
Read pitch (可调线距)	0-9.999mm	0-0.39inch
Max.winding dimension (线圈最大直径)	100 mm	Upto 3.94inch

可选配件 OPTION:		
		
标准张力器/TENSION UNIT T1 type 0.1-0.3mm T2 type 0.03-0.1mm	简易张力器/SIMPLE TENSION UNIT T1 type 0.1-0.3mm T2 type 0.03-0.1mm	线筒 WIRE SPOOL

MODEL BW2 BOBBIN WINDING MACHINE

BW2 平绕机

The BW2 is an up-to-date microprocessor controlled bench model of high quality and considerable value. It is designed for high-frequency switching power coils, multifunctional controller and stable winding pitch system. It use a special inverter motor and driver as its main winding power, and a precise stepping motor to adjust wire pitch in order to meet the extra requirement of customer's high-quality control. The BW2 has not only VU's graceful appearance and fine configuration, but also simple operation and speedy maintenance etc multifunction. And it has proven to be the optimal choice in VU's BOBBIN winding machines for heavy wire applications with one spindle.

BW2 型绕线机是由本公司研发生产的新型机种,专门针对品质价位同样需求的客户所设计。BW2 是粗线专用的绕线机,具有多功能的控制器与稳定的排线系统。本机采用特殊的变频马达和驱动器来作为主机的动力,同时用精密的步进马达与高级螺杆来调整线距以达到客户最高的绕线品质要求。为了方便客户使用,我们制作 BW2-F 前绕式和 BW2-S 侧绕式。本机同样具备了 VU 品牌优美的外观与精密的结构,同时更兼有简单操作与快速维修等多样化的功能,为 BOBBIN 绕线机的最佳选择。



TECHNICAL DATA (技术数据)	MM	INCH/AWG
Wire size (线径)	0.6-2.0mm	#121/2-221/2AWG
Spindle (轴)	1	1
Traverse width (回程距离)	0-100 mm	0-3.94inch
Read pitch (可调线距)	0-9.999mm	0-0.39inch
Max.winding dimension (线圈最大直径)	150 mm	Up to 5.91inch

MACHINE FEATURES 机器特点

- CONTROLLER 控制器
Microprocessor Logic control
微处理逻辑控制
- DISPLAY 显示
LED Display 发光极体显示
- MEMORY CAPACITY 存储能力
999 Programs 999 组
- PROGRAMMING 程序设置
Manual Set-Up 手动设置
- WINDING DRIVE 绕线速度
Ratio low=1500rpm 低转速=1500rpm
Ratio high=5000rpm 高转速=5000rpm
- WINDING DRIVE 绕线动力
POWER AC INVERTER MOTOR
交流变频马达
- WIRE PITCH CONTROL 线距控制
STEPPING MOTOR 步进马达
- ACCELERATION 加速
PROGRAM AUTOMTIC 自动程序设定
- DECELERATION 减速
PROGRAM AUTOMTIC 自动程序设定
- MAIN WINDING DRIVE POWER
主绕线驱动动力
AC 1HP INVERTER MOTOR
1 马力的交流变频马达
- SUPPLY VOLTAGES 电源提供
230 VOLT, 50-60HZ AC
- MACHINE SIZE AND WEIGHT
机器尺寸和重量
L550mm×W460mm×H450mm 38KG
- OPTION:
Tailstock with swing away function
加尾座功能



BW2-S(侧绕式)

MODEL BW2-S-S BOBBIN WINDING MACHINE

BW2-S-S 平绕机

The BW2-S-S is an up-to-date microprocessor controlled bench model of high quality and considerable value. It is designed for high-frequency switching power coils, multifunctional controller and stable winding pitch system. It use a special inverter motor and driver as its main winding power, and a precise stepping motor to adjust wire pitch in order to meet the extra requirement of customer's high-quality control. The BW2-S-S has not only VU's graceful appearance and fine configuration, but also simple operation and speedy maintenance etc multifunction. And it has proven to be the optimal choice in VU's BOBBIN winding machines for heavy wire applications with one spindle.

BW2-S-S 型绕线机是由本公司研发生产的新型机种,专门针对品质价位同样需求的客户所设计。BW2-S-S 是粗线专用的绕线机,具有多功能的控制器与稳定的排线系统。本机采用特殊的变频马达和驱动器来作为主机的动力,同时用精密的步进马达与高级螺杆来调整线距以达到客户最高的绕线品质要求。本机同样具备了 VU 品牌优美的外观与精密的结构,同时更兼有简单操作与快速维修等多样化的功能,为 BOBBIN 绕线机的最佳选择。

MACHINE FEATURES 机器特点

- CONTROLLER 控制器
Microprocessor Logic control
微处理逻辑控制
- DISPLAY 显示
LED Display 发光二极管显示
- MEMORY CAPACITY 存储能力
999 Programs 999 组
- PROGRAMMING 程序设置
Manual Set-Up 手动设置
- WINDING DRIVE 绕线速度
Ratio low=1500rpm 低转速=1500rpm
Ratio high=5000rpm 高转速=5000rpm
- WINDING DRIVE 绕线动力
POWER AC INVERTER MOTOR
交流变频马达
- WIRE PITCH CONTROL 线距控制
STEPPING MOTOR 步进马达
- ACCELERATION 加速
PROGRAM AUTOMTIC 自动程序设定
- DECELERATION 减速
PROGRAM AUTOMTIC 自动程序设定
- MAIN WINDING DRIVE POWER
主绕线驱动动力
AC 1HP INVERTER MOTOR
1 马力的交流变频马达
- SUPPLY VOLTAGES 电源提供
230 VOLT, 50-60HZ AC
- MACHINE SIZE AND WEIGHT
机器尺寸和重量
L900mm×W500mm×H550mm 112KG
- OPTION:
Tailstock with swing away function
加尾座功能



TECHNICAL DATA (技术数据)	MM	INCH/AWG
Wire size (线径)	0.6-2.0mm	#121/2-221/2AWG
Spindle (轴)	1	1
Traverse width (回程距离)	0-133 mm	0-5.24inch
Read pitch (可调线距)	0-9.999mm	0-0.39inch
Max.winding dimension (线圈最大直径)	150 mm	Up to 5.91inch



BW2-S-TS

MODEL BW3 BOBBIN WINDING MACHINE

BW3 平绕机

The BW3 is an up-to-date microprocessor controlled bench model of high quality and considerable value. It is designed for high-frequency switching power coils, multifunctional controller and stable winding pitch system. It use a special inverter motor and driver as its main winding power, and a precise stepping motor to adjust wire pitch in order to meet the extra requirement of customer's high-quality control. The BW3 has not only VU's graceful appearance and fine configuration, but also simple operation and speedy maintenance etc multifunction. And it has proven to be the optimal choice in VU's BOBBIN winding machines for fine wire applications with 2-spindles.

BW3 型绕线机是由本公司研发生产的新型机种,专门针对品质价位同样需求的客户所设计。BW3 是各类电子线圈的专用双轴绕线机,具有多功能的控制器与稳定的排线系统。本机采用特殊的变频马达和驱动器来作为主机的动力,同时用精密的步进马达来调整线距以达到客户最高的绕线品质要求。本机具备了 VU 优美的外观与精密的结构,同时更兼有简单操作与快速维修等多样化的功能,为 BOBBIN 绕线机的最佳选择。



MACHINE FEATURES 机器特点

- CONTROLLER 控制器
Microprocessor Logic control
微处理逻辑控制
- DISPLAY 显示
LED Display 发光二极体显示
- MEMORY CAPACITY 存储能力
999 Programs 999 组
- PROGRAMMING 程序设置
Manual Set-Up 手动设置
- WINDING DRIVE 绕线速度
Up to 5600 RPM 每分钟最高 5600 转
- WINDING DRIVE 绕线动力
POWER AC INVERTER MOTOR
交流变频马达
- WIRE PITCH CONTROL 线距控制
STEPPING MOTOR 步进马达
- ACCELERATION 加速
PROGRAM AUTOMTIC 自动程序设定
- DECELERATION 减速
PROGRAM AUTOMTIC 自动程序设定
- MAIN WINDING DRIVE POWER
主绕线驱动动力
AC 1HP INVERTER MOTOR
1 马力的交流变频马达
- SUPPLY VOLTAGES 电源提供
230 VOLT, 50-60HZ AC
- MACHINE SIZE AND WEIGHT
机器尺寸和重量
L700mm×W500mm×H900mm 42KG

TECHNICAL DATA (技术数据)	MM	INCH/AWG
Wire size (线径)	0.03-0.5mm	#24-47AWG
Spindle (轴)	2	2
Traverse width (回程距离)	0-100 mm	0-3.94inch
Read pitch (可调线距)	0-9.999mm	0-0.39inch
Max.winding dimension (线圈最大直径)	100 mm	Up to 3.94inch

可选配件 OPTION:

		
标准张力器/TENSION UNIT T1 type 0.1-0.3mm T2 type 0.03-0.1mm	简易张力器/SIMPLE TENSION UNIT T1 type 0.1-0.3mm T2 type 0.03-0.1mm	线筒 WIRE SPOOL

MODEL BW4 BOBBIN WINDING MACHINE

BW4 平绕机

The BW4 is an up-to-date microprocessor controlled bench model of high quality and considerable value. It is designed for high-frequency switching power coils, multifunctional controller and stable winding pitch system. It use a special inverter motor and driver as its main winding power, and a precise stepping motor to adjust wire pitch in order to meet the extra requirement of customer's high-quality control. The BW4 has not only VU's graceful appearance and fine configuration, but also simple operation and speedy maintenance etc multifunction. And it has proven to be the optimal choice in VU's BOBBIN winding machines for fine wire applications with 4 spindles

BW4 型绕线机是由本公司研发生产的新型机种,专门针对品质价位同样需求的客户所设计。BW4 是各类电子线圈的专用四轴绕线机,具有多功能的控制器与稳定的排线系统。本机采用特殊的变频马达和驱动器来作为主机的动力,同时用精密的步进马达来调整线距以达到客户最高的绕线品质要求。本机同样具备了 VU 品牌优美的外观与精密的结构,同时更兼有简单操作与快速维修等多样化的功能,为 BOBBIN 绕线机的最佳选择。






MACHINE FEATURES 机器特点

- CONTROLLER 控制器
Microprocessor Logic control
微处理逻辑控制
- DISPLAY 显示
LED Display 发光二极体显示
- MEMORY CAPACITY 存储能力
999 Programs 999 组
- PROGRAMMING 程序设置
Manual Set-Up 手动设置
- WINDING DRIVE 绕线速度
Up to 5000 RPM 每分钟最高 5000 转
- WINDING DRIVE 绕线动力
POWER AC INVERTER MOTOR
交流变频马达
- WIRE PITCH CONTROL 线距控制
STEPPING MOTOR 步进马达
- ACCELERATION 加速
PROGRAM AUTOMTIC 自动程序设定
- DECELERATION 减速
PROGRAM AUTOMTIC 自动程序设定
- MAIN WINDING DRIVE POWER
主绕线驱动动力
AC 0.5HP INVERTER MOTOR
0.5 马力的交流变频马达
- SUPPLY VOLTAGES 电源提供
230 VOLT, 50-60HZ AC
- MACHINE SIZE AND WEIGHT
机器尺寸和重量
L700mm×W600mm×H900mm 45KG

000000

TECHNICAL DATA (技术数据)	MM	INCH/AWG
Wire size (线径)	0.03-0.5mm	#24-47AWG
Spindle (轴)	4	4
Traverse width (回程距离)	0-100 mm	0-3.94inch
Read pitch (可调线距)	0-9.999mm	0-0.39inch
Max.winding dimension (线圈最大直径)	80 mm	Up to 3.15inch

可选配件 OPTION:		
		
标准张力器/TENSION UNIT T1 type 0.1-0.3mm T2 type 0.03-0.1mm	简易张力器/SIMPLE TENSION UNIT T1 type 0.1-0.3mm T2 type 0.03-0.1mm	线筒 WIRE SPOOL

MODEL BW4-T BOBBIN WINDING MACHINE WITH TWISTING

BW4-T 四轴平绕机带绞线

The BW4-T is an up-to-date microprocessor controlled bench model of high quality and considerable value. It add twisting function. It is designed for high-frequency switching power coils, multifunctional controller and stable winding pitch system. It use a special inverter motor and driver as its main winding power, and a precise stepping motor to adjust wire pitch in order to meet the extra requirement of customer's high-quality control. The BW4-T has not only VU's graceful appearance and fine configuration, but also simple operation and speedy maintenance etc multifunction. And it has proven to be the optimal choice in VU's BOBBIN winding machines for fine wire applications with 4 spindles

BW4-T 型绕线机是由本公司研发生产的新型机种,增加了绞线功能,专门针对品质价位同样需求的客户所设计。BW4-T 是各类电子线圈的专用四轴绕线机,具有多功能的控制器与稳定的排线系统。本机采用特殊的变频马达和驱动器来作为主机的动力,同时用精密的步进马达来调整线距以达到客户最高的绕线品质要求。本机同样具备了 VU 品牌优美的外观与精密的结构,同时更兼有简单操作与快速维修等多样化的功能,为 BOBBIN 绕线机的最佳选择。



MACHINE FEATURES 机器特点

- Automatic twisting function
具有自动绞线功能
- Adjustment for length of twisting
绞线长度可调整
- Quality of twisting is rival with imported prodction
绞线品质媲美进口产品
- Save the manpower, improve the efficiency of production
可节省人工,提高生产效率
- Setup the twisting function on the controller, winding and twisting completely
可从控制器上设定自动绞线功能,从绕线到绞线一次性完成
- SUPPLY VOLTAGES 电源提供
220 VOLT, 50-60HZ AC
- MACHINE SIZE AND WEIGHT
机器尺寸和重量
L400mm×W300mm×H500mm 70KG

TECHNICAL DATA (技术数据)	MM
Wire size (线径)	0.02mm
Spindle (轴)	4
Twisting length (绞线长度)	130-250 mm
Twisting turn (绞线圈数)	(密度)1-999T
Twisting wire quantity (股数)	3-19

MODEL BW5 BOBBIN WINDING MACHINE

BW5 平绕机

The BW5 is an up-to-date microprocessor controlled bench model of high quality and considerable value. It is designed for high-frequency switching power coils, multifunctional controller and stable winding pitch system. It use a special inverter motor and driver as its main winding power, and a precise stepping motor to adjust wire pitch in order to meet the extra requirement of customer's high-quality control. The BW5 has not only VU's graceful appearance and fine configuration, but also simple operation and speedy maintenance etc multifunction. And it has proven to be the optimal choice in VU's BOBBIN winding machines for fine wire applications with one spindle.

BW5 型绕线机是由本公司研发生产的新型机种,专门针对品质价位同样需求的客户所设计。BW5 是各类电子线圈的专用粗线及扁线绕线机,具有多功能的控制器与稳定的排线系统。本机采用特殊的变频马达和驱动器来作为主机的动力,同时用精密的步进马达来调整线距以达到客户最高的绕线品质要求。本机同样具备了 VU 品牌优美的外观与精密的结构,同时更兼有简单操作与快速维修等多样化的功能,为 BOBBIN 绕线机的最佳选择。

MACHINE FEATURES 机器特点

- CONTROLLER 控制器
Microprocessor Logic control
微处理逻辑控制
- DISPLAY 显示
LED Display 发光二极体显示
- MEMORY CAPACITY 存储能力
999 Programs 999 组
- PROGRAMMING 程序设置
Manual Set-Up 手动设置
- WINDING DRIVE 绕线速度
Up to 3000 RPM 每分钟最高 3000 转
- WINDING DRIVE 绕线动力
POWER AC INVERTER MOTOR
交流变频马达
- WIRE PITCH CONTROL 线距控制
STEPPING MOTOR 步进马达
- ACCELERATION 加速
PROGRAM AUTOMTIC 自动程序设定
- DECELERATION 减速
PROGRAM AUTOMTIC 自动程序设定
- MAIN WINDING DRIVE POWER
主绕线驱动动力
AC 1HP INVERTER MOTOR
1 马力的交流变频马达
- SUPPLY VOLTAGES 电源提供
230 VOLT, 50-60HZ AC
- MACHINE SIZE AND WEIGHT
机器尺寸和重量
L1300mm×W900mm×H850mm 150KG



TECHNICAL DATA (技术数据)	MM	INCH/AWG
Wire size (线径)	0.05-3.0mm	#9-44AWG
Spindle (轴)	1-4	1-4
Traverse width (回程距离)	0-350 mm	0-13.78inch
Read pitch (可调线距)	0-9.999mm	0-0.39inch
Max.winding dimension (线圈最大直径)	350 mm	Up to 13.78inch

可选配件 OPTION:

		
标准张力器/TENSION UNIT T1 type 0.1-0.3mm T2 type0.03-0.1mm	简易张力器/SIMPLE TENSION UNIT T1 type 0.1-0.3mm T2 type0.03-0.1mm	线筒 WIRE SPOOL